Author Index

Report on the 25th Anniversary Meeting of the Controlled Environment Users Group, 1

Report on the University of Wales Colloquium on Genetics, 2

Al Wadi, H. & Richards, A. J., Palynological variation in *Primula* L. subgenus *Sphondylia* (Duby) Rupr., and the relationship of this group to *Dionysia* Fenzl., 303

Anderson, R. C. (see Meredith, J. A.), 235

Arrigoni, O. (see Bitonti, M. B.), 577

Ashton, P. M. S. & Berlyn, G. P., Leaf adaptations of some *Shorea* species to sun and shade, 587

Ayyad, S. M., Moore, P. D. & Zahran, M. A., Modern pollen rain studies of the Nile Delta, Egypt, 663

Azcón, R., Gomez, M. & Tobar, R., Effects of nitrogen source on growth, nutrition, photosynthetic rate and nitrogen metabolism of mycorrhizal and phosphorus-fertilized plants of *Lactuca sativa* L., 227

Bancroft, I. & Smith, R. J., Oriented degradation of the genome of cyanophage *AN-23* after exposure to NaCl, 571

Barnes, J. D. & Pfirrmann, T., The influence of CO_2 and O_3, singly and in combination, on gas exchange, growth and nutrient status of radish (*Raphanus sativus* L.), 403

Bartley, D. D. & Chambers, C., A pollen diagram, radiocarbon ages and evidence of agriculture on Extwistle Moor, Lancashire, 311

Berlyn, G. P. (see Ashton, P. M. S.), 587

Berti, A. (see Darmency, H.), 657

Bitonti, M. B., Chiappetta, A., Innocenti, A. M., Liso, R. & Arrigoni, O., Quiescent centre ontogenesis during early germination of *Allium cepa* L., 577

Block, M. (see Briggs, D.), 257, 267

Briggs, D. & Block, M., Genecological studies of groundsel (*Senecio vulgaris* L.). I. Maintenance of population variation in the Cambridge University Botanic Garden, 257

——, Block, M., Fulton, E., Vinson, S., Genecological studies of groundsel (*Senecio vulgaris* L.). II. Historical evidence for weed control and gene flow in the Cambridge University Botanic Garden, 267

——, (see Theaker, A. J.), 281

Broekman, R. A. (see Rozema, J.), 249

Cairns, A. J. (see Winters, A. L.), 525

Carbiener, R. (see Schnitzler, A.), 293

Casselton, L. A. (see Durand, N.), 545

Chambers, C. (see Bartley, D. D.), 311

Chapela, I. H. (see Toti, L.), 469

Chiappetta, A. (see Bitonti, M. B.), 577

Choong, M. F., Lucas, P. W., Ong, J. S. Y., Pereira, B., Tan, H. T. W. & Turner, I. M., Leaf fracture toughness and sclerophylly: their correlations and ecological implications, 597

Claassen, V. P. & Zasoski, R. J., A containerized staining system for mycorrhizal roots, 49

Clint, G. M. & Dighton, J., Uptake and accumulation of radiocaesium by mycorrhizal and non-mycorrhizal heather plants, 555

Cuartero, J., Yeo, A. R. & Flowers, T. J., Selection of donors for salt-tolerance in tomato using physiological traits, 63

Darmency, H., Berti, A., Gasquez, J. & Matejicek, A., Association of esterase isozymes with morphology in F_2 progenies of two growth variants in *Poa annua* L., 657

da Silva, M. F. (see de Souza Moreira, F. M.), 563

Davies, K. L., Davies, M. S. & Francis, D., Vacuolar development in the root meristem of *Festuca rubra* L., 581

Davies, M. S. (see Davies, K. L.), 581

Davison, A. W. (see Reiling, K.), 643

Debaud, J. C. (see Durand, N.), 545

de Bruin, J. (see Rozema, J.), 249

de Faria, S. M. (see de Souza Moreira, F. M.), 563

de Souza Moreira, F. M., da Silva, M. F. & de Faria, S. M., Occurrence of nodulation in legume species in the Amazon region of Brazil, 563

Dickinson, H. G. (see Elleman, C. J.), 413

Dighton, J. (see Clint, G. M.), 555

Dilworth, M. J. (see Tang, C.), 457

Doong, R. L. & Jensen, R. A., Synonymy of the three apparent isoenzymes of 3-deoxy-D-arabino-heptulosonate 7-phosphate synthase in *Pisum sativum* L. with 3-deoxy-D-manno-octulosonate 8-phosphate synthase and the DS-Co/DS-Mn isoenzyme pair, 165

Durand, N., Debaud, J. C., Casselton, L. A. & Gay, G., Isolation and preliminary characterization of 5-fluoroindole-resistant and IAA-overproducer mutants of the ecto-mycorrhizal fungus *Hebeloma cylindrosporum* Romagnesi, 545

Elleman, C. J., Franklin-Tong, V. & Dickinson, H. G., Pollination in species with dry stigmas: the nature of the early stigmatic response and the pathway taken by pollen tubes, 413

Ewers, F. W., North, G. B. & Nobel, P. S., Root–system junctions of a desert monocotyledon and a dicotyledon. Hydraulic consequences under wet conditions and during drought, 377

Fitter, A. H. & Stickland, T. R., Architectural analysis of plant root systems. III. Studies on plants under field conditions, 243

Flowers, T. J. (see Cuartero, J.), 63

Foissner, I., Effects of dichlorobenzonitrile on the formation of cell wall appositions (plugs) an internodal cells of *Chara corallina* Klein ex. Willd, em. R.D.W. and *Nitella flexilis* (L.) Ag., 447

Francis, D. (see Davies, K. L.), 581

Franklin-Tong, V. (see Elleman, C. J.), 413

Friday, L. E., Measuring investment in carnivory: seasonal and individual variation in trap number and biomass in *Utricularia vulgaris* L., 439

Fuhrer, J. (see Grandjean Grimm, A.), 201

——, Grandjean Grimm, A., Tschannen, W., Shariat-Madari, H., The response of spring wheat (*Triticum aestivum* L.) to ozone at higher elevations. II. Changes in yield, yield components and grain quality in response to ozone flux, 211

Fulton, E. (see Briggs, D.), 267

Gallon, J. R. (see Page, T. S.), 33

Garcia-Garrido, J. M., Garcia-Romera, I. & Ocampo, J. A., Cellulase production by the vesicular–arbuscular mycorrhizal fungus *Glomus mosseae* (Nicol. & Gerd.) Gerd. and Trappe, 221

Garcia-Romera, I. (see Garcia-Garrido, J. M.), 221

Gasquez, J. (see Darmency, H.), 657

Gay, G. (see Durand, N.), 545

Gilika, T. (see Veenendaal, E. M.), 477

Gomez, M. (see Azcón, R.), 227

Grandjean Grimm, A. & Fuhrer, J., The response of spring wheat (*Triticum aestivum* L.) to ozone at higher elevations. I. Measurement of ozone and carbon dioxide fluxes in open-top field chambers, 201

——, (see Fuhrer, J.), 211

Gunderson, C. A. (see Wullschleger, S. D.), 515

Hall, J. L. (see Storr, T.), 535

Halloran, G. M. (see Warwick, N. W. M.), 53

Handley, L. L. (see Raven, J. A.), 5, 19

Hansen, K. S. (see MacLean, D. C.), 81

Harris, S. L. & Silvester, W. B., Oxygen controls the development *Frankia* vesicles in continuous culture, 43

Innocenti, A. M. (see Bitonti, M. B.), 577

Jacobson, J. S. (see L'Hirondelle, S. J.), 611

Jäger, H.-J. (see Manderscheid, R.), 623

Jensen, R. A. (see Doong, R. L.), 165

Kochian, L. V. (see Lauver, T. L.), 179

Kosta-Rick, R. & Manning, W. J., Partitioning of biomass and carbohydrates in field-grown radish under ambient concentrations of ozone, and treated with the anti-ozonant ethylenediurea (EDU), 187

KRESS, L. W. (see MANDERSCHEID, R.), 623
KUO, J. (see TANG, C.), 457
LASSOIE, J. P. (see L'HIRONDELLE, S. J.), 611
LAUVER, T. L., MCCUNE, D. C., SHAFF, J. E. & KOCHIAN, L. V., The use of ion-selective microelectrodes for measuring calcium and hydrogen ion transfer between foliar surfaces and simulated rain solutions, 179
L'HIRONDELLE, S. J., JACOBSON, J. S. & LASSOIE, J. P., Acidic mist and nitrogen fertilization effects on growth, nitrate reductase activity, gas exchange, and frost hardiness of red spruce seedlings, 611
LIM, G. K. (see LOH, C. S.), 425
LISO, R. (see BITONTI, M. B.), 577
LOH, C. S. & LIM, G. K., The influence of medium components on secondary embryogenesis of winter oilseed rape, *Brassica napus* L. ssp. *oleifera* (Metzg.) Sink., 425
LUCAS, P. W. (see CHOONG, M. F.), 597
MACLEAN, D. C., HANSEN, K. S. & SCHNEIDER, R. E., Amelioration of aluminium toxicity in wheat by fluoride, 81
MAGOLE, I. L. (see VEENENDAAL, E. M.), 477
MANDERSCHEID, R., JÄGER, H.-J. & KRESS, L. W., Effects of ozone on foliar nitrogen metabolism of *Pineas taeda* L. and implications for carbohydrate metabolism, 623
MANNING, W. J. (see KOSTA-RICK, R.), 187
MATEJICEK, A. (see DARMENCY, H.), 657
MCCUNE, D. C. (see LAUVER, T. L.), 179
MEREDITH, J. A. & ANDERSON, R. C., The influence of varied microbial substrate conditions on the growth and mycorrhizal colonization of little bluestem , 235
MERRETT, M. J. (see NIMER, N. A.), 173
MONNAAPULA, S. C. (see VEENENDAAL, E. M.), 477
MOORE, P. D. (see AYYAD, S. M.), 663
MÖSSNANG, M. (see POLLE, A.), 89
NIMER, N. A. & MERRETT, M. J., Calcification and utilization of inorganic carbon by the coccolithophorid *Emiliania huxleyi* Lohmann, 173
NOBEL, P. S. (see EWERS, F. W.), 377
NORBY, R. J. (see WULLSCHLEGER, S. D.), 515
NORTH, G. B. (see EWERS, F. W.), 377
OCAMPO, J. A. (see GARCIA-GARRIDO, J. M.), 221
ONG, J. S. Y. (see CHOONG, M. F.), 597
OTTOSSON, G. (see WALLIN, G.), 395
PAGE, T. S. & GALLON, J. R., DNA topoisomerases in *Gloeothece* (Nägeli) sp. ATCC 27152: a role in N_2 fixation?, 33
PEREIRA, B. (see CHOONG, M. F.), 597
PETRINI, O. (see TOTI, L.), 469
PFIRRMANN, T. (see BARNES, J. D.), 403
PIGOTT, D., The clones of common lime (*Tilia* × *vulgaris* Hayne) planted in England during the seventeenth and eighteenth centuries, 487
POLLE, A., MÖSSNANG, M., VON SCHÖNBORN, A., SLADKOVIC, R. & RENNENBERG, H., Field studies on Norway spruce trees at high altitudes. I. Mineral, pigment and soluble protein contents of needles as affected by climate and pollution, 89
——, RENNENBERG, H., Field studies on Norway spruce trees at high altitudes. II. Defence systems against oxidative stress in needles, 635
POPP, M. (see RICHTER, A.), 431
RAVEN, J. A., WOLLENWEBER, B. & HANDLEY, L. L., Ammonia and ammonium fluxes between photolithotrophs and the environment in relation to the global nitrogen cycle, 5
——, WOLLENWEBER, B., HANDLEY, L. L., A comparison of ammonium and nitrate as nitrogen sources for photolithotrophs, 19
REILING, K. & DAVISON, A. W., Effects of a short ozone exposure given at different stages in the development of *Plantago major* L., 643
RENGEL, Z., Role of calcium in aluminium toxicity, 499
RENNENBERG, H. (see POLLE, A.), 89, 635
RICHARDS, A. J. (see AL WADI, H.), 303
——, (see WEDDERBURN, F. M.), 649
RICHTER, A. & POPP, M., The physiological importance of accumulation of cyclitols in *Viscum album* L., 431
ROBSON, A. D. (see TANG, C.), 457
ROZEMA, J., DE BRUIN, J. & BROEKMAN, R. A., Effect of boron on the growth and mineral economy of some halophytes and non-halophytes, 249
SCHNEIDER, R. E. (see MACLEAN, D. C.), 81
SCHNITZLER, A., CARBIENER, R. & TRÉMOLIÈRES, M., Ecological segregation between closely related species in the flooded forests of the upper Rhine plain, 293
SELLDÉN, G. (see WALLIN, G.), 387, 395
SHAFF, J. E. (see LAUVER, T. L.), 179
SHARIAT-MADARI, H. (see FUHRER, J.), 211
SHENNAN, C. (see SNAPP, S. S.), 71
SILVESTER, W. B. (see HARRIS, S. L.), 43
SKÄRBY, L. (see WALLIN, G.), 387
SLADKOVIC, R. (see POLLE, A.), 89
SMEEKENS, S. C. M. (see WINTERS, A. L.), 525
SMITH, R. J. (see BANCROFT, I.), 571
SNAPP, S. S. & SHENNAN, C., Effects of salinity on root growth and death dynamics of tomato, *Lycopersicon esculentum* Mill., 71
STICKLAND, T. R. (see FITTER, A. H.), 243
STORR, T. & HALL, J. L., The effect of infection by *Erysiphe pisi* DC on acid and alkaline invertase activities and aspects of starch biochemistry in leaves of *Pisum sativum* L., 535
TAN, H. T. W. (see CHOONG, M. F.), 597
TANG, C., ROBSON, A. D., DILWORTH, M. J. & KUO, J., Microscopic evidence on how iron deficiency limits nodule initiation in *Lupinus angustifolius* L., 457
THEAKER, A. J. & BRIGGS, D., Genecological studies of groundsel (*Senecio vulgaris* L.). III. Population variation and its maintenance in the University Botanic Garden, Cambridge, 281
TOBAR, R. (see AZCÓN, R.), 227
TOTI, L., VIRET, O., CHAPELA, I. H. & PETRINI, O., Differential attachment by conidia of the endophyte, *Discula umbrinella* (Berk. & Br.) Morelet, to host and non-host surfaces, 469
TRÉMOLIÈRES, M. (see SCHNITZLER, A.), 293
TSCHANNEN, W. (see FUHRER, J.), 211
TURNER, I. M. (see CHOONG, M. F.), 597
VEENENDAAL, E. M., MONNAAPULA, S. C., GILIKA, T. & MAGOLE, I. L., Vesicular–arbuscular mycorrhizas infection of grass seedlings in a degraded semi-arid savanna in Botswana, 477
VINSON, S. (see BRIGGS, D.), 267
VIRET, O. (see TOTI, L.), 469
VON SCHÖNBORN, A. (see POLLE, A.), 89
WALKER, D., Tansley Review no. 36. Excited leaves, 325
WALLIN, G., SKÄRBY, L. & SELLDÉN, G., Long-term exposure of Norway Spruce, *Picea abies* (L.) Karst, to ozone in open-top chambers. III. Effect on the light response of net photosynthesis in shoots of different ages, 387
——, OTTOSSON, G., SELLDÉN, G., Long-term exposure of Norway spruce, *Picea abies* (L.) Karst., to ozone in open-top chambers. IV. Effects on the stomatal and non-stomatal limitation of photosynthesis and on the carboxylation efficiency, 395
WARWICK, N. W. M. & HALLORAN, G. M., Accumulation and excretion of sodium, potassium- and chloride from leaves of two accessions of *Diplachne fusca* (L.) Beauv., 53
WEDDERBURN, F. M. & RICHARDS, A. J., Secondary homostyly in *Primula* L.; evidence for the model of the 'S' supergene, 649
WILKINS, M. B., Tansley Review No. 37. Circadian rhythms: their origin and control, 347
WILLIS, K. J., The late Quaternary vegetational history of northwest Greece I. Lake Gramousti, 101
——, The late Quaternary vegetational history of northwest Greece II. Rezina Marsh, 119
——, The late Quaternary vegetational history of northwest Greece III. A comparative study of two contrasting sites, 139
WINTERS, A. L., SMEEKENS, S. C. M. & CAIRNS, A. J., Fructosyl transferase activity in the tissue-macerating preparation, pectolyase Y-23®: physiological role of fructosyl transfer in *Aspergillus* and significance for studies of fructan synthesis in grasses, 525
WOLLENWEBER, B. (see RAVEN, J. A.), 5, 19
WULLSCHLEGER, S. D., NORBY, R. J. & GUNDERSON, C. A., Growth and maintenance respiration in leaves of *Liriodendron tulipifera* L. exposed to long-term carbon dioxide enrichment in the field, 515
YEO, A. R. (see CUARTERO, J.), 63
ZAHRAN, M. A. (see AYYAD, S. M.), 663
ZASOSKI, R. J. (see CLAASSEN, V. P.), 49

Subject Index

Acid rain, 179
Acidic mist, 611
Agave deserti, 377
Air pollution, 89
Alluvial sediments, 663
Altitudinal zonation, 139
Aluminium, 81
Aluminium toxicity, 499
Amazon region, 563
Amino acid (aromatic), 165
Amino acids, 623
Ammonium, 5, 19
Anatomy, 457
Apiognomonia errabunda, 469
Appareil provacuolaire, 581
Apparent quantum yield, 387
Arabidopsis thaliana, 413
Archaeology, 311
Architecture, 243
Ascorbate, 635
Ascorbate peroxidase, 635
Atmosphere, 5
Biogeochemistry, 5
Biomass partitioning, 187
Boron, 249
Boron resistance, 249
Boron tolerance, 249
Boron toxicity, 249
Bradyrhizobium infection, 457
Breeding, 63
Bryophyllum, 347
Calcification, 173
Calcium homeostasis, 499
Calluna vulgaris (heather), 555
CAM plants, 347
Carbohydrate, 187
Carbon dioxide, 515
Carbon uptake, 431
Carboxylation efficiency, 395
Carnivorous plants, 439
Castanea sativa, 469
Cell wall, 499
Cell wall appositions, 447
Cellulases, 221
Cellulose, 447
Chara corallina, 447
Circadian rhythms, 347
Clones, 487
Closely related species, 293
Continuous culture, 43
Costs and benefits, 439
Critical levels, 643
Cyanobacterial virus, 571
Cyanophage *AN-23*, 571
Cyclitols, 431
Dark respiration, 515
3-Deoxy-D-arabino-heptulosonate 7-phosphate synthase, 165
3-Deoxy-D-manno-octulosonate 8-phosphate synthase, 165
Developmental flexibility, 257
Dichlorobenzonitrile, 447
Dimorphy, 303
Dionysia, 303
Diplachne fusca, 53
Discula umbrinella, 469
DNA gyrase, 33
DNA topoisomerases, 33
Dry stigma, 413
Early DNA synthesis, 577
Ecological segregation, 293
Ectomycorrhizal fungus, 545
Egypt, 663
Elevated CO_2, 403
Embolism, 377
Embryo root, 577
Emiliania huxleyi, 173
Endoglucanases, 221
Environmental history, 101, 119
Erysiphe pisi (powdery mildew), 535
Evolution, 5
Excitation energy, 325
Excretion, 53
Exoglucanases, 221
Fagus sylvatica, 469
Ferocactus acanthodes, 377
Festuca rubra, 581
Floodplain forest, 293
Fluorescence, 325
Fluoride, 81
Forest decline, 89, 635
Frankia, 43
Frost hardiness, 611
Fructan, 525
Gas exchange, 403
Gene flow, 267
Germination, 577
Gloeothece, 33
Glomus mosseae, 221
α-Glucosidase, 535
Glutamate dehydrogenase, 623
Glutamine synthetase, 227, 623
Glutathione, 635
Glutathione reductase, 635
Groundsel (*Senecio vulgaris*), 257, 267, 281
Growth, 403
Growth rate, 187
Growth respiration, 515
Growth variants, 657
Halophytes, 249
Hebeloma cylindrosporum, 545
Helianthus annuus, 413
Herbivory, 597
Heterostyly, 303
High altitude, 119
Homostyly, 649
Hybridization, 649
Hydraulic conductance, 377
Hydraulic constriction, 377
Incompatibility, 649
Indole-3-acetic acid, 545
Influx, 555
Inorganic carbon utilization, 173
Interactions, 403
Invertase, 525, 535
Ion migration, 179
Ion movement, 347
Ion uptake, 499
Iron deficiency, 457
Irrigation, 243
Isoenzyme, 165
Late Quaternary, 101, 119, 139
Leaf age, 53
Leaf anatomy, 587
Leaf esterases, 657
Leaf fracture toughness, 597
Leaf movement, 347
Leaves, 325
Leguminosae, 563
Light, 587
Light compensation point, 387
Link length, 243

Liriodendron tulipifera, 515
Low altitude, 101
Luminescence, 347
Lupinus angustifolius, 457
Maintenance respiration, 515
Mangroves, 597
Maritime habitats, 663
Medium components, 425
Microbes, 235
Microelectrodes, 179
Modern pollen rain, 663
Molecular biology, 347
Mutant, 545
Mycorrhizas, 555
Myelin configurations, 581
NaCl-promoted degradation, 571
Native flora, 643
Neosugar, 525
Net photosynthesis, 587
N_2-fixation, 33
Nitella flexilis, 447
Nitrate, 19
Nitrate reductase, 227, 611
Nitrogen fertilization, 611
Nitrogen nutrition, 227
Nitrogenase, 43
Nodulation, 563
Northwest Greece, 101, 119, 139
Nutrients, 89, 243, 403
Oilseed rape (*Brassica napus*), 425
Oligosaccharide, 525
Open-top chambers, 201
Osmotic relations, 431
Oxygen, 33, 43
Ozone, 89, 187, 201, 211, 387, 395, 403, 623, 643
Ozone flux, 201, 211
Pachysandra terminalis (pachysandra), 179
Palynology, 303
Papaver rhoeas, 413
Park avenues, 487
Phase control, 347
Phenylpropanoids, 5
Photons, 19
Photosynthesis, 325, 395
Photosynthetic light response, 387
Physiological traits, 63
Picea abies (Norway spruce), 387, 395
Picea rubens (red spruce), 611
Pigment, 89
Pinus taeda, 623
Pisum sativum, 165, 535
Plantago major, 643
Plasma membrane, 499
Poa annua, 657
Pollen analysis, 311
Pollen stratigraphy, 139
Pollination, 413
Polyploidy, 649
Population variation, 257, 281
Primula, 649
Primula subgenus *Sphondylia*, 303
Protein synthesis, 347
Quantum yield/requirement, 325
Quercus spp., 469
Quiescent centre, 577
Radiate capitulum, 281
Radiate variant (var. *hibernicus*), 267
Radiocaesium, 555
Radiocarbon dates, 311
Raphanus sativus (radish), 187
Rate of development, 257, 281
Residual bodies, 581
Resource allocation, 643
Resource costs, 19
Rhine, 293
Rhizotoxicity, 81
Rhythms (CO_2-fixation), 347
Root growth, 71
Root meristem, 581
Root staining procedures, 49
Root systems, 243
Root turnover, 71
Root-observation methodology, 71
Salinity, 63, 71
Salinity tolerance, 53
Savanna grasses, 477
Schizachyrium scoparium, 235
Sclerophylly, 597
Secondary embryogenesis, 425
Seedlings, 587
Shorea, 587
Simazine resistance, 267, 281
Sodium, 53
Soil erosion, 477
Soluble protein, 623
Spinacea oleracea (spinach), 179
Spruce (*Picea abies*), 89, 635
Starch, 535
Stomatal limitation of photosynthesis, 395
Stress physiology, 499
Succession, 663
Sucrose, 525
Superoxide dismutase, 635
The Tansley Fund of *The New Phytologist* Trust, 1, 2
Taxonomy, 563
Tilia × *vulgaris*, 487
Tomato (*Lycopersicon esculentum*), 63, 71
Topology, 243
Triticum aestivum (wheat), 201, 211
Tropical secondary forests, 597
Tryptophan, 545
Ultrastructure, 457
Utricularia vulgaris, 439
VA mycorrhiza, 49, 221
Vacuolation, 581
Variation, 439
Vegetational history, 101, 119, 139
Vesicle, 43
Vesicular–arbuscular mycorrhiza, 235, 447
Vesicular–arbuscular mycorrhizal fungi, 227
Viscum album, 431
Water, 19
Weeding pressure, 267
Wheat (*Triticum aestivum*), 81
Woodlands, 243
Xylem transport, 431
Yield, 211